Applicants: Hans Krueger, et al.

Attorney's Docket No.: 14219-076US1

Serial No.: 10/523.875

Client's Ref.: P2002,0686USN

Serial No.: 10/523,875 Filed: February 7, 2005

Page: 2

**AMENDMENTS TO THE CLAIMS:** 

This listing of claims replaces all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A component comprising:

a chip having a top surface and having a bottom surface that includes electrically conductive structures;

a carrier substrate having a top surface that includes connecting areas, the chip being mounted in a flip chip arrangement on the carrier substrate via electrically conductive connections between the electrically conductive structures and the connecting areas;

a support element on the top surface of the carrier substrate, the support element surrounding[[,]] the carrier substrate but not touching[[,]] the carrier substrate; and a seal that surrounds the chip and the support element; wherein the support element supports the seal.

- 2. (Previously Presented) The component of claim 1, wherein the electrically conductive connections comprise bumps.
- 3. (Previously Presented) The component of claim 1, wherein the seal comprises a dielectric layer and substantially covers the top surface of the chip.

Serial No.: 10/523,875 Filed: February 7, 2005

Page: 3

4. (Previously Presented) The component of claim 3, wherein the dielectric layer

comprises one or more layers.

5. (Currently Amended) A component comprising:

a chip having a top surface and having a bottom surface that includes electrically

conductive structures;

a carrier substrate having a top surface that includes connecting areas, the chip

being mounted in a flip chip arrangement on the carrier substrate via electrically

conductive connections between the electrically conductive structures and the connecting

areas; and

a composite over the top surface of the chip, the composite comprising a dielectric

layer and a metal layer, this the composite forming a seal with the carrier substrate outside

of an area that corresponds to the chip;

wherein the chip has a thickness such that a force resulting from thermal expansion

of an electrically conductive connection in a temperature range between -60° C and 85° C

is a maximum of 2 Newtons.

6. (Previously Presented) A component comprising:

a chip having a top surface and having a bottom surface that includes electrically

conductive structures;

a carrier substrate having a top surface that includes connecting areas, the chip

Attorney's Docket No.: 14219-076US1 Applicants: Hans Krueger, et al. Client's Ref.: P2002,0686USN

Serial No.: 10/523,875

Filed : February 7, 2005

Page

being mounted in a flip chip arrangement on the carrier substrate via electrically conductive connections between the electrically conductive structures and the connecting areas; and

a composite over the top surface of the chip, the composite comprising a dielectric layer and a metal layer above the dielectric layer relative to the top surface of the chip, the composite forming a seal with the carrier substrate outside of an area that corresponds to the chip;

wherein the dielectric layer has a modulus of elasticity of less than 1 Gpa, a thickness of less than 20 µm, or a coefficient of thermal expansion that is greater than  $\alpha_{\text{bump}}/2$  and that is less than 2  $\alpha_{\text{bump}}$ , where  $\alpha_{\text{bump}}$  is a coefficient of thermal expansion for at least one of the electrically conductive connections.

## 7. (Previously Presented) A component comprising:

a chip having a top surface and having a bottom surface that includes electrically conductive structures;

a carrier substrate having a top surface that includes connecting areas, the chip being mounted in a flip chip arrangement on the carrier substrate via electrically conductive connections between the electrically conductive structures and the connecting areas; and

a support element on the top surface of the carrier substrate, the support element comprising a shrink frame that substantially encloses the chip.

Serial No.: 10/523,875 Filed: February 7, 2005

Page : 5

8. (Previously Presented) The component of claim 7, further comprising a metal

layer that substantially covers the top surface of the chip;

wherein the shrink frame forms a seal with the carrier substrate.

9. (Previously Presented) The component of claim 1, 5, 6, or 7, wherein the chip

has side surfaces that are sloped so that a cross-section of the chip tapers toward the carrier

substrate.

10. (Previously Presented) The component of claim 1, 5, 6, or 7, wherein the chip

has side surfaces that comprise at least one step.

11. (Currently Amended) The component of claim 1, wherein the seal covers edge

areas of the chip and the support element; and[[,]]

wherein the seal does not cover the top surface of the chip.

12. (Currently Amended) The component of claim 1, further comprising a metal

layer (ME) above the seal relative to the top surface of the chip, the metal layer being on

edge areas of the support element and/or on edge areas of the carrier substrate.

13. (Previously Presented) The component of claim 3, wherein the dielectric layer

completely covers the chip and the support element, the dielectric layer forming a seal with

the carrier substrate only in areas that do not correspond to the support element so that the

Serial No.: 10/523,875 Filed: February 7, 2005

Page: 6

chip and the support element are in a shared space that is formed between the dielectric layer and the top surface of the carrier substrate.

14. (Previously Presented) The component of claim 3, wherein the dielectric layer completely covers the top surface of the chip and seals to the support element, the support element comprising a hermetically tight material.

15. (Previously Presented) The component of claim 3, further comprising a metal layer that substantially covers the dielectric layer.

- 16. (Previously Presented) The component of claim 3, further comprising a filling compound on the dielectric layer.
- 17. (Previously Presented) The component of claim 16, further comprising a metal layer that forms a seal with the support element outside of an area that corresponds to the chip, or that forms a seal with the carrier substrate outside of an area that corresponds to the support element.
- 18. (Previously Presented) The component of claim 1 or 7, further comprising a contact metallization on side surfaces of the chip that face the carrier substrate;

wherein the support element comprises a solder frame, the support element being soldered to a contact metallization of the chip.

Attorney's Docket No.: 14219-076US1 Applicants: Hans Krueger, et al. Client's Ref.: P2002,0686USN

Serial No.: 10/523,875 : February 7, 2005 Filed

Page : 7

19. (Previously Presented) The component of claim 18, further comprising a metal layer above a top surface of the chip.

- 20. (Previously Presented) The component of claim 1, wherein the seal comprises a dielectric material.
- 21. (Previously Presented) The component of claim 20, wherein the seal comprises at least one of a plastic, an organic plastic, a laminate film, a glass solder and a resin.
- 22. (Previously Presented) The component of claim 3, wherein the dielectric layer comprises at least one of a plastic, an organic plastic, a laminate film, a glass solder and a resin.
- 23. (Previously Presented) The component of claim 1, wherein the support element comprises at least one of metal, a ceramic material and plastic.
- 24. (Previously Presented) The component of claim 1, wherein the support element corresponds to a boundary of an indentation on the carrier substrate.
  - 25. (Previously Presented) The component of claim 1, wherein a height of the

Serial No.: 10/523,875 Filed: February 7, 2005

Page : 8

support element does not exceed a distance between the top surface of the carrier substrate

and a bottom edge of the chip; and

wherein an the inner edge of the support element is under the bottom edge of the chip.

26. (Previously Presented) The component of claim 1, wherein a height of the

support element corresponds to, or exceeds, a distance between the top surface of the

carrier substrate and a bottom edge of the chip.

27. (Previously Presented) The component of claim 1, 5, 6, or 7, wherein the

carrier substrate comprises a low temperature cofired ceramic.

28. (Previously Presented) The component of claim 1, 5, 6, or 7, further

comprising surface-mounted-device-capable external contacts on a bottom surface of the

carrier substrate.

29. (Previously Presented) The component of claim 1, 5, 6, or 7, wherein the

carrier substrate comprises at least two dielectric layers.

30. (Previously Presented) The component of claim 1, 5, 6, or 7, wherein the chip

2

comprises at least one resonator that works with acoustic surface waves or acoustic volume

waves.

Serial No.: 10/523,875 Filed: February 7, 2005

Page: 9

31. (Previously Presented) The component of claim 1, 5, 6, or 7, further comprising similar or different chips that are attached to the carrier substrate and that are similarly encapsulated.

32 to 39. (Cancelled)